


Grade 8 Weld-on Lifting Point BS EN 1677-1+2

- Designed with spring, stop at any angle.
- Pivots through 180°.
- Manufactured from forged alloy steel, quenched and tempered.
- Load rated parts are 100% magnaflux crack detected.
- Individual forged parts are traceable to Test Certification.
- Design Factor 4 : 1.
- WLL forged onto each product for quick and easy identification.
- Lugs designed to assist the welding process.
- A protected spring keeps the load ring in a required position. The parts are connected in such a way that they remain captive. The spring also reduces noise caused by vibrations.



METRIC SPECIFICATIONS

| Part Code | WLL tonnes | A mm | D mm | E mm | F mm | H mm | K mm | L mm | R mm | W mm | Mass Kg |
|-----------|------------|------|------|------|------|------|------|------|------|------|---------|
| 8-057-1T | 1.0 | 83 | 14 | 14 | 27 | 57 | 40 | 109 | 24 | 50 | 0.5 |
| 8-057-3T | 3.0 | 98 | 17 | 17 | 31 | 53 | 48 | 114 | 29 | 58 | 0.9 |
| 8-057-5T | 5.0 | 120 | 22 | 22 | 41 | 77 | 63 | 157 | 33 | 64 | 1.3 |
| 8-057-8T | 8.0 | 121 | 26 | 26 | 54 | 69 | 73 | 169 | 34 | 61 | 2.6 |
| 8-057-10T | 10.0 | 146 | 20 | 30 | 54 | 88 | 73 | 191 | 41 | 75 | 3.1 |
| 8-057-20T | 20.0 | 187 | 25 | 38 | 70 | 106 | 93 | 234 | 50 | 91 | 6.5 |

IMPERIAL SPECIFICATIONS

| Part Code | WLL lbs | A inch | D inch | E inch | F inch | H inch | K inch | L inch | R inch | W inch | Mass lbs |
|-----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| 8-057-1T | 2200 | 3.2 | 0.5 | 0.5 | 1.0 | 2.2 | 1.5 | 4.2 | 0.9 | 1.9 | 1.1 |
| 8-057-3T | 6600 | 3.8 | 0.6 | 0.6 | 1.2 | 2.0 | 1.8 | 4.4 | 1.1 | 2.2 | 1.9 |
| 8-057-5T | 11000 | 4.7 | 0.8 | 0.8 | 1.6 | 3.0 | 2.4 | 6.1 | 1.3 | 2.5 | 2.8 |
| 8-057-8T | 17600 | 4.7 | 1.0 | 1.0 | 2.1 | 2.7 | 2.8 | 6.6 | 1.3 | 2.4 | 5.7 |
| 8-057-10T | 22000 | 5.7 | 0.7 | 1.1 | 2.1 | 3.4 | 2.8 | 7.5 | 1.6 | 2.9 | 6.8 |
| 8-057-20T | 44000 | 7.3 | 0.9 | 1.5 | 2.7 | 4.1 | 3.6 | 9.2 | 1.9 | 3.5 | 14.3 |